

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	574	interrupt\$3 and (coheren\$2 or (maintain\$3 adj state) ) same ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 or debug\$4 or collect\$3 ) near2 memory and (speed\$1 or ms or milli-second or millisecond or quick\$2 or fast\$2 or msec or millisec)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 07:20
L2	111	interrupt\$3 and (coheren\$2 or (maintain\$3 adj state) ) same ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 or debug\$4 or collect\$3 ) near2 memory same (speed\$1 or ms or milli-second or millisecond or quick\$2 or fast\$2 or msec or millisec)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 08:08
L3	9	("5588128"   "6187483"   "6216200"   "6260095"   "6282626"   "6341335"   "6370073"   "6415353"   "6449685").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 08:04
L5	5	interrupt\$3 and (coheren\$2 or (maintain\$3 adj state) ) same ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 or debug\$4 or collect\$3 or snoop\$3 ) near2 memory same ( (speed\$1 or ms or milli-second or millisecond or quick\$2 or fast\$2 or msec or millisec) near3 interrupt\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 08:09
L6	22	("4622631"   "5072369"   "5155831"   "5185861"   "5265235"   "5276851"   "5325503"   "5335335"   "5428761"   "5511226"   "5515514"   "5526512"   "5561799"   "5572702"   "5572703"   "5623633"   "5630095"   "5651137"   "5652859"   "5659709"   "5737758"   "5737759").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 08:16
L7	22	("4622631"   "5072369"   "5155831"   "5185861"   "5265235"   "5276851"   "5325503"   "5335335"   "5428761"   "5511226"   "5515514"   "5526512"   "5561799"   "5572702"   "5572703"   "5623633"   "5630095"   "5651137"   "5652859"   "5659709"   "5737758"   "5737759").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 08:27
L8	14	("6128711").URPN.	USPAT	OR	OFF	2005/03/17 08:28
L9	7	("6353877").URPN.	USPAT	OR	OFF	2005/03/17 08:33
L10	0	("6587961").URPN.	USPAT	OR	OFF	2005/03/17 08:36

L11	26	("5226152"   "5426740"   "5500945"   "5515516"   "5530946"   "5586253"   "5627965"   "5642506"   "5991900"   "6012120"   "6065135"   "6138198"   "6141718"   "6141769"   "6148348"   "6163815"   "6167477"   "6173351"   "6173416"   "6189117"   "6223320"   "6247143"   "6260159"   "6330701"   "6341334"   "6353877").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 08:36
S1	0	symbolic adj (kernal adj debug\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/17 16:51
S2	179	symbolic adj debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/17 16:55
S3	38	symbolic adj debug\$4 and (symbol near5 file )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/17 17:02
S4	232	717/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/17 17:02
S5	55	717/124.ccls. and (symbolic or (symbol near5 table) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/17 17:16
S6	137	717/125.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/17 17:04
S7	10	symbolic adj debug\$4 and coheren\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/17 17:15
S8	4525	system near3 debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/17 17:15

S9	2	kernal near5 debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 10:31
S10	85	717/124.ccls. and (system near3 debug\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/17 17:16
S11	17	symbolic adj debug\$4 and (system near5 state) and suspen\$4 and (resum\$3 or resumption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/17 17:17
S12	26	717/125.ccls. and (symbolic or (symbol near5 table) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 09:44
S13	40	symbolic adj debug\$4 and (system near5 state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 09:49
S14	119	symbolic adj debug\$4 and (hardware or processor or microprocessor or kernel or (operating adj system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 10:12
S15	13	("5109353"   "5469003"   "5515524"   "5546562"   "5555201"   "5594657"   "5673198"   "5684980"   "5708798"   "5802290"   "5913052"   "5956476"   "5995744").PN.	USPAT	OR	ON	2003/06/18 09:53
S16	2	"6212650".URPN.	USPAT	OR	ON	2003/06/18 09:58
S17	93	symbolic adj debug\$4 and ((hardware or processor or microprocessor) near3 interface) or kernel or (operating adj system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 10:28
S18	40333	(kernel or (operating adj system)) and ((link\$3 adj list) or linked-list or list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 10:30

S19	16149	(kernel or (operating adj system)) and ((link\$3 adj list) or linked-list or list) and state and (test\$3 or debug\$4 or benchmark\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 10:32
S20	1668	(kernel or (operating adj system)) and ((link\$3 adj list) or linked-list or list) and state and (test\$3 or debug\$4 or benchmark\$3) and symbolic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 10:32
S21	158	kernel near5 debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 10:33
S22	0	symbolic adj (kernel near5 debug\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 10:32
S23	10	kernel near5 debug\$4 and ((kernel or (operating adj system)) and ((link\$3 adj list) or linked-list or list) and state and (test\$3 or debug\$4 or benchmark\$3) and symbolic )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 11:51
S24	11	("4312066"   "4339819"   "4481574"   "4589068"   "4819234"   "4985893"   "5022028"   "5228039"   "5315642"   "5394544"   "5410681").PN.	USPAT	OR	ON	2003/06/18 11:34
S25	33	"5630049".URPN.	USPAT	OR	ON	2003/06/18 11:38
S26	3403	(kernel or operating-system or (operating adj system)) and (linked-list or (linked adj list) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 11:52
S27	645	(kernel or operating-system or (operating adj system)) and (linked-list or (linked adj list) ) and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 11:53
S28	579	(kernel or operating-system or (operating adj system)) and (linked-list or (linked adj list) ) and debug\$4 and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 11:53
S29	132	(kernel or operating-system or (operating adj system)) and (linked-list or (linked adj list) ) and debug\$4 and state and symbolic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 12:06

S30	2150	memory and list and (linked-list or (linked adj list)) and head	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 12:08
S31	1002	memory same (linked-list or (linked adj list)) and head	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 12:09
S32	930	memory same (linked-list or (linked adj list)) and head and (access\$3 or retrieving)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 12:11
S33	88	memory same (linked-list or (linked adj list)) and head and (access\$3 or retrieving) and (memory near3 descriptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 12:10
S34	104	memory same (linked-list or (linked adj list)) and head and (access\$3 or retrieving) and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 12:10
S35	159	memory same (linked-list or (linked adj list)) and head and (access\$3 or retrieving) and doubl\$2 near (linked-list or (linked adj list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 12:12
S36	26	(memory same (linked-list or (linked adj list)) and head and (access\$3 or retrieving) and debug\$4 ) and (memory same (linked-list or (linked adj list)) and head and (access\$3 or retrieving) and doubl\$2 near (linked-list or (linked adj list)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 12:18
S37	15	debug same memory and ((doubly adj linked-list) or ((doubly adj linked) adj-list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:12
S38	0	nested adj ((linked adj list) or linked-list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:13

S39	0	n-dimension\$4 adj ((linked adj list) or linked-list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:14
S40	0	((linked adj list) or linked-list) adj of ) adj ((linked adj list) or linked-list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:17
S41	337	((linked adj list) or linked-list) and (multi-dimension\$4 or multidimension\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:19
S42	324	((linked adj list) or linked-list) and (multi-dimension\$4 or multidimension\$4 ) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:27
S43	27	((linked adj list) or linked-list) and (multi-dimension\$4 or multidimension\$4 ) near5 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:20
S44	18	((linked adj list) or linked-list) and (multi-dimension\$4 or multidimension\$4 ) near5 memory and (debug\$4 or test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:23
S45	9	((linked adj list) or linked-list) and (multi-dimension\$4 or multidimension\$4 ) near5 (ROM or ((read adj only)adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:26
S46	9	((linked adj list) or linked-list) and (multi-dimension\$4 or multidimension\$4 or n-dimension\$4 or ndimension\$4 ) near5 (ROM or ((read adj only)adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:27
S47	166	((linked adj list) or linked-list) and (multi-dimension\$4 or multidimension\$4 ) and memory and ((read adj only ) or non-volatile or nonvolatile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:28
S48	139	((linked adj list) or linked-list) and (multi-dimension\$4 or multidimension\$4 ) and memory and ((read adj only ) or non-volatile or nonvolatile) and (debug\$4 or test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:52

S49	1205	memory near3 descriptor and (locat\$3 or retriev\$3 or access\$3 or acquir\$3) and buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:54
S50	1205	memory near3 descriptor and (search\$3 or locat\$3 or retriev\$3 or access\$3 or acquir\$3) and buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:55
S51	720	memory near3 descriptor and (search\$3 or locat\$3 or retriev\$3 or access\$3 or acquir\$3) and buffer\$3 and list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:55
S52	237	memory near3 descriptor and (search\$3 or locat\$3 or retriev\$3 or access\$3 or acquir\$3) and buffer\$3 and list and head	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:56
S53	21	memory near3 descriptor and (search\$3 or locat\$3 or retriev\$3 or access\$3 or acquir\$3) and buffer\$3 and list and head and ((resum\$3 or resumption) near3 thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 17:18
S54	21	memory near3 descriptor and (search\$3 or locat\$3 or retriev\$3 or access\$3 or acquir\$3) and buffer\$3 and (list or linked-list or (linked adj list)) and head and ((resum\$3 or resumption) near3 thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 14:58
S55	237	memory near3 descriptor and (search\$3 or locat\$3 or retriev\$3 or access\$3 or acquir\$3) and buffer\$3 and list and head	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/18 17:21
S56	905	captur\$3 same (system adj (state or data) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 16:11
S57	3	(captur\$3 or gather\$3) same (system adj (state or data) ) and (maintain\$3 same (data adj coheren\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 16:12
S58	181	debug\$4 and (data adj coheren\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 07:23

S59	1941	debug\$4same (data adj coheren\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 07:21
S60	0	debug\$4 same (data adj coheren\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 07:21
S61	136	debug\$4 and (data adj coheren\$3 ) and collect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 07:22
S62	15	debug\$4 and (data adj coheren\$3 ) and collect\$5 near5 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 07:23
S63	126	debug\$4 and (data adj coheren\$3 ) and memory and list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 07:23
S64	7	debug\$4 and (data adj coheren\$3 ) and memory and ((link\$3-list) or (link\$3 adj list) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 07:56
S65	0	"6158045".pn. and snoop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 08:17
S66	2	"6119485".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 08:17
S67	2	"5119485".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 08:17
S68	21	(data adj coheren\$2) same (lock\$3 or halt\$3 or suspend\$3 or resum\$3 or stop\$4) near2 (process or thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 14:43



S69	55	collection adj driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 14:43
S70	2	(collection adj driver) same (lock\$3 or halt\$3 or suspend\$3 or resum\$3 or stop\$4 or start\$3 or restart\$3 or sleep\$3 or asleep\$3 or run\$4 ) near2 (process or thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 16:11
S71	0	"6694510".URPN.	USPAT	OR	OFF	2004/09/30 14:49
S72	8	("5630049"   "5889988"   "5956479"   "6158045"   "6205494"   "6272499"   "6370660"   "6564369").PN.	USPAT	OR	OFF	2004/09/30 14:49
S73	1980	((collection adj driver) or debug\$4) same (lock\$3 or halt\$3 or suspend\$3 or resum\$3 or stop\$4 or start\$3 or restart\$3 or sleep\$3 or asleep\$3 or run\$4 ) near2 (process or thread or execut\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 16:14
S74	0	((collection adj driver) or debug\$4) same (lock\$3 or halt\$3 or suspend\$3 or resum\$3 or stop\$4 or start\$3 or restart\$3 or sleep\$3 or asleep\$3 or run\$4 ) near2 (process or thread or execut\$3 ) same (data adj (coheren\$2 or validity) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 16:15
S75	20	((collection adj driver) or debug\$4) same (lock\$3 or halt\$3 or suspend\$3 or resum\$3 or stop\$4 or start\$3 or restart\$3 or sleep\$3 or asleep\$3 or run\$4 ) near2 (process or thread or execut\$3 ) and (data adj (coheren\$2 or validity) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 16:20
S76	50	(lock\$3 or halt\$3 or suspend\$3 or resum\$3 or stop\$4 or start\$3 or restart\$3 or sleep\$3 or asleep\$3 or run\$4 ) near2 (process or thread or execut\$3 ) same (data adj (coheren\$2 or validity) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 16:27
S77	40	(lock\$3 or halt\$3 or suspend\$3 or resum\$3 or stop\$4 or start\$3 or restart\$3 or sleep\$3 or asleep\$3 or run\$4 ) near2 (process or thread or execut\$3 ) same (data adj (coheren\$2 or validity) ) and (symbolic or debugger or kernel or collection or collect\$3 or retriev\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 16:29

S78	0	(symbol\$2 or kernal) near2 debug\$4 and "without disrupt\$3"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 10:21
S79	33	(symbol\$2 or kernal) near2 debug\$4 and (disrupt\$3 or disturb\$4 or perturb\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 10:23
S80	4	(symbol\$2 or kernal) near2 debug\$4 and (disrupt\$3 or disturb\$4 or perturb\$5) and suspen\$4 and (coheren\$2 or "maintain\$3 state") and (collect\$3 or snapshot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 10:25
S81	4	(symbol\$2 or kernal or kernel) near2 debug\$4 and (disrupt\$3 or disturb\$4 or perturb\$5) and suspen\$4 and (coheren\$2 or "maintain\$3 state") and (collect\$3 or snapshot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 10:25
S82	486	717/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 17:40
S83	356	717/127.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 17:40
S84	302	717/128.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 17:40
S85	0	(717/127/???ccls. or 717/137/???ccls. ) and (coheren\$2 or (maintain\$3 adj state) ) and ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 ) near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 17:45
S86	0	(717/127/???ccls. or 717/137/???ccls. ) and ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 ) near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 17:45

S87	1070	(717/12?.ccls. or 717/13?.ccls. ) and ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 ) near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 17:45
S88	75	(717/12?.ccls. or 717/13?.ccls. ) and (coheren\$2 or (maintain\$3 adj state) ) and ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 ) near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 17:59
S89	5	(717/12?.ccls. or 717/13?.ccls. ) and (coheren\$2 or (maintain\$3 adj state) ) same ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 ) near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 17:46
S90	8	suspen\$4 same (coheren\$2 or (maintain\$3 adj state) ) same ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 ) near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:01
S91	8	suspen\$4 same (coheren\$2 or (maintain\$3 adj state) ) same ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 or debug\$4 ) near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:01
S92	1297	suspen\$4near3 (thread or task or process) and (coheren\$2 or (maintain\$3 adj state) ) same ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 or debug\$4 or collect\$3 ) near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:03
S93	14	suspen\$4 near3 (thread or task or process) and (coheren\$2 or (maintain\$3 adj state) ) same ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 or debug\$4 or collect\$3 ) near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:07
S94	614	interrupt\$3 and (coheren\$2 or (maintain\$3 adj state) ) same ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 or debug\$4 or collect\$3 ) near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 07:17
S95	113	interrupt\$3 same (coheren\$2 or (maintain\$3 adj state) ) same ( (collection adj driver) or gather\$3 or retriev\$3 or read\$3 or debug\$4 or collect\$3 ) near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:29
S96	1695	debug\$4 same (collection driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:30

S97	973	debug\$4 same (collection driver) same system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:31
S98	723	debug\$4 same ((collection driver) or ( (symbolic or kernel) near2 debug\$4) ) and (system near3 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:33
S99	65	debug\$4 same ((collection driver) or ( (symbolic or kernel) near2 debug\$4) ) same (system near3 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:34
S10 0	74	debug\$4 same ((collection driver) or ( (symbolic or kernel) near2 debug\$4) ) same ( (system near3 information) or (system near2 specific) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:34
S10 1	18	debug\$4 same ((collection driver) or ( (symbolic or kernel) near2 debug\$4) ) same ( (system near3 information) or (system near2 specific) ) and ( (maintain near2 state) or coheren\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 18:35